

Double Duty Scalp Exfoliator

SH-01-76-39

Lightweight, dual action exfoliation and anti-dandruff treatment that helps alleviate dry itchy scalp while providing residue free conditioning and anti-frizz benefits.



Double Duty Scalp Exfoliator

SH-01-76-39



Ingredients	INCI Nomenclature	Suppliers	% w / w
A DI-Water	Water (Aqua)	---	qs
Evicide® levulinatate B	Sodium Levulinatate, Sodium Benzoate, Water	Evident Ingredients	2.00
GreenGard™ PA	Phytic Acid, Water	Green Line	0.05
Evicare® aquatex 80	Xanthan Gum	Evident Ingredients	0.50
Zemea® Propanediol	Propanediol	DuPont Tate & Lyle Bio Products	2.00
Resplanta® Phyto PUMPKIN MB	Pumpkin Seed Oil Polyglyceryl-4 Esters, Water	Res Pharma Industriale	1.00
Resplanta® Phyto MACADAMIA MB	Macadamia Seed Oil Polyglyceryl-4 Esters, Water	Res Pharma Industriale	1.00
B Evicare® wintergreen	Salicylic Acid	Evident Ingredients	1.00
Zemea® Propanediol	Propanediol	DuPont Tate & Lyle Bio Products	4.00
C GreenWax™ CC	Polyglyceryl-3 Stearate, Cetearyl Alcohol, PCA Glyceryl Oleate, Glyceryl Caprylate	Green Line	6.00
GreenSens™ P30	PCA Glyceryl Oleate	Green Line	1.00
BergaCare FG Olive	Hydrogenated Ethylhexyl Olivatate, Hydrogenated Olive Oil Unsaponifiables	Berg + Schmidt	3.50
Natralipid® Meadowfoam Seed Oil	Limnanthes Alba (Meadowfoam) Seed Oil	Nature's Crops International	3.00
Evicare® toco mix	Tocopherol, Helianthus Annuus (Sunflower) Seed Oil	Evident Ingredients	0.25
Organic Virgin Argan Oil	Argania Spinosa Kernel Oil	---	3.00
Geleol Pellets	Glyceryl Stearate	Gattefossé	2.00
Evicare® GB	Glyceryl Behenate	Evident Ingredients	2.00
D BergaSoft DG 50	Decyl Glucoside	Berg + Schmidt	2.00
Fragrance	---	---	qs
E Exfoliating Rice Powder 500	Oryza Sativa (Rice) Powder	Interaxion	5.00
			100.00

Procedure

1. Add DI-Water, Evicide® levulinatate B and GreenGard™ PA and begin heating to 75-80°C. Combine Evicare® aquatex 80 and Zemea® Propanediol, add to Phase A. Mix for 10 minutes, ensuring xanthan gum is dispersed. Add remaining Phase A ingredients.
2. Combine Phase B and mix well until uniform. Add to Phase A and mix well until homogeneous. Adjust pH to 4.2-4.7.
3. Combine Phase C and heat to 75-80°C, add to Phase A/B under mixing. Homogenize for 10 minutes until smooth and homogeneous. Begin cooling under mixing.
4. At 40°C, add Phase D ingredients one at a time and mix until smooth and uniform.
5. Add Phase E and gently mix until uniformly dispersed.
6. Adjust pH to 4.2-4.7, if necessary.

How To Use

Massage into wet hair, working from scalp to ends. Rinse and follow with shampoo and conditioner.



Omya Specialty Materials Inc.
5150 E. Pacific Coast Hwy, Suite 600
Long Beach, CA 90804
(562) 961-3333 | PersonalCareUS@omya.com

Innovation Comes Naturally™

Scan To Learn More

