

Glow Stick SPF 30 Face Serum

SH-01-81-06

Invisible mineral sunscreen with broad spectrum protection that smooths and perfects skin. This waterless serum can be easily applied under makeup or alone for a natural healthy glow.



#safesun
#upcycling
#vegan

Glow Stick SPF 30 Face Serum

SH-01-81-06



Ingredients	INCI Nomenclature	Suppliers	% w / w	
A	Labrafac™ CC MB	Caprylic/Capric Triglyceride	Gattefossé	qs
	Lipocire™ A SG	C 10-18 Triglycerides	Gattefossé	7.00
	KahlWax 6607L MB	Helianthus Annuus (Sunflower) Seed Wax, Ascorbyl Palmitate, Tocopherol, Helianthus Annuus (Sunflower) Seed Oil	KahlWax	7.50
	Sunflower			
	KahlComplex 6427	Crambe Abyssinica Seed Oil, Euphorbia Cerifera (Candelilla) Wax, Hydroxystearic Acid, Beta-Sitosterol, Rhus Verniciflua Peel Wax, Tocopherol, Helianthus Annuus (Sunflower) Seed Oil	KahlWax	3.00
	Megasoft			
	KahlWax 2225 Phyto Wax	Helianthus Annuus (Sunflower) Seed Wax, Olea Europaea (Olive) Oil, Rhus Verniciflua Peel Wax, Shorea Robusta Resin	KahlWax	12.00
	KahlWax 6684 Jasmine	Jasminum Grandiflorum (Jasmine) Flower Wax	KahlWax	2.00
	Gatuline® In-Tense MB	Caprylic/Capric Triglyceride, Acmeella Oleracea Extract	Gattefossé	2.00
	Evicare® toco mix	Tocopherol, Helianthus Annuus (Sunflower) Seed Oil	Evident Ingredients	0.50
Evicide® GMCY	Glyceryl Caprylate	Evident Ingredients	0.30	
Evicare® solve	Triheptanoin	Evident Ingredients	5.00	
SolAmaze™ Natural Polymer	Diisostearyl Polyglyceryl-3 Dimer Dilinoleate, Caprylic/Capric Triglyceride	Nouryon	3.33	
B	Labrafac™ CC MB	Caprylic/Capric Triglyceride	Gattefossé	15.00
	Dispersun DSP-OL100	Polyhydroxystearic Acid	Innospec Performance Chemicals	0.50
	Sunscreen			
Zano® 20	Zinc Oxide	EverCare	20.00	
C	Featheleve™ PT-7001K Real Pearl Gold	Titanium Dioxide, Tin Oxide, Silica	CQV Co., Ltd	1.00
	Omyaskin® 100-OG	Hydroxyapatite, Calcium Carbonate	Omya, Inc.	3.00
			100.00	

Procedure

1. Add ingredients in Phase A and heat to 80°C with moderate mixing. Hold for 10 minutes, ensuring all waxes are fully melted and then cool to 70°C.
2. Combine Phase B and heat to 70°C. Homogenize or use dispersion technique to disperse Zinc Oxide completely. Add Phase B to Phase A. Mix well until uniform.
3. Add Phase C with moderate mixing until completely dispersed and batch is uniform. Pour hot at 70°C.

How To Use

Gently, generously and evenly glide over skin 15 minutes before sun exposure.



Omya Specialty Materials Inc.
5150 E. Pacific Coast Hwy, Suite 600
Long Beach, CA 90804
(562) 961-3333 | PersonalCareUS@omya.com

Innovation Comes Naturally™

Scan To Learn More

