

Personal Care

Seamlessly Smooth Body Stick

SH-02-71-13

A no-mess, glide-on body stick to gently exfoliate and smooth uneven texture, while enhancing skin firmness for a more refined body contour.

THINKING OF TOMORROW



Seamlessly Smooth Body Stick

SH-02-71-13



| Ingredients | INCI Nomenclature | Suppliers | % w / w | |
|-------------------------|--|---|---------|-------|
| A | Akoline PGPR™ | AAK | 3.00 | |
| | LIPEX® Bassol C™ | AAK | 10.00 | |
| | KahlWax 2811 Rice | Kahl | 6.00 | |
| | KahlWax 6290 Berry | Kahl | 3.00 | |
| | KahlBase 7040 | Kahl | 5.00 | |
| | Seabuckthorn | | | |
| | | Polyglyceryl-3 Polyricinoleate | | |
| | | Brassica Campestris Seed Oil | | |
| | | Oryza Sativa (Rice) Bran Wax | | |
| | | Rhus Verniciflua Peel Wax | | |
| | | Ricinus Communis (Castor) Seed Oil, Crambe Abyssinica (Abyssinian) Seed Oil, Hippophae Rhamnoides (Sea Buckthorn) Fruit Extract, Helianthus Annuus (Sunflower) Seed Wax, Tocopherol, Helianthus Annuus (Sunflower) Seed Oil | | |
| | | Butyrospermum Parkii (Shea) Butter | AAK | 16.00 |
| | LIPEX® SheaSoft TR™ | AAK | 16.00 | |
| | Elastoblur® | Alchemy | 5.00 | |
| | | Caprylate/Caprate, Lauroyl Lysine, Hydrogenated Castor Oil, Copernicia Cerifera Wax | | |
| | Hydrogenated Vegetable Oil | AAK | 3.00 | |
| Akofine R™ | AAK | 3.00 | | |
| LIPEX® BC™ | AAK | 2.00 | | |
| Immortelle Oil Pro | Lipoid Kosmetik | 2.00 | | |
| | Caprylic/Capric Triglyceride, Helichrysum Angustifolium Flower Extract | | | |
| | Stearyl Glycyrhretinate | GfN & Selco | 0.20 | |
| Stearyl Glycyrhretinate | | | | |
| Tocopherol | Tocopherol, Helianthus Annuus (Sunflower) Seed Oil | --- | 0.30 | |
| <hr/> | | | | |
| B1 | DI-Water | --- | qs | |
| | Vita Cell Renova® | QUIMIVITA PRODUCTS SL | 5.00 | |
| <hr/> | | | | |
| B2 | NaOH 50% Solution | --- | 3.50 | |
| | Vita BuDi Sense | QUIMIVITA PRODUCTS SL | 3.00 | |
| | Preservative | --- | qs | |

100.00

Procedure

1. Add Phase A and begin heating to 75-80°C and ensure all solids are melted.
2. In a separate mixing vessel, add Phase B1 and heat to 75-80°C and ensure all solids are melted.
3. At 75-80°C, slowly add Phase B2 to Phase B1 and mix well until homogeneous and clear.
4. At 75-80°C, add Phase B to Phase A and homogenize for 10 minutes at temperature.
5. Pour hot into stick components at 70-75°C.

How To Use

Glide stick onto clean, dry skin. No need to rinse off.

Stability Tested

| | |
|-------------|-----------------------------|
| 3 Months | 5°C, room temperature, 40°C |
| 3 Weeks | 50°C |
| Freeze/Thaw | 3 cycles |

Physical Data

| | |
|------------|--|
| Appearance | White to off-white, creamy solid stick |
| pH | N/A |
| Viscosity | N/A |



Omya Specialty Materials Inc.,

1510 E. Pacific Coast Hwy. Suite 600, Long Beach, CA 90804
(877) 457-7266 | PersonalCareUS@omya.com | omyapersonalcare.us

THINKING OF TOMORROW



Omya has taken every possible care to ensure that the information herein is correct in all aspects. However, Omya cannot be held responsible for any errors or omissions which may be found herein, nor will it accept responsibility for any use which may be of the information, the same having been given in good faith, but without legal responsibility. This information does not give rise to any warranties of any kind, expressed or implied, including fitness for purpose and non-infringement of intellectual property. The technical information presented comprises typical data and should not be taken as representing a specification. Omya reserves the right to change any of the data without notice.