

Personal Care

Vegan Milky Essence

SH-02-27-08

Designed to deliver lightweight hydration and soothing comfort, this formula absorbs quickly to soften and smooth the skin, leaving it visibly plump, radiant, and naturally dewy with a healthy-looking glow.



Vegan Milky Essence

SH-02-27-08



	Ingredients	INCI Nomenclature	Suppliers	% w / w
A1	DI-Water	Water (Aqua)	---	qs
	Phytic Acid	Phytic Acid, Water	---	0.10
	Propanediol	Propanediol	---	4.00
	Glycerin	Glycerin	---	5.00
A2	Vita BuDi Sense	2,3-Butanediol, Water	QUIMIVITA PRODUCTS SL	5.00
	Vita Retigel®	Xanthan Gum, Algin	QUIMIVITA PRODUCTS SL	0.50
B	Hydrovance® moisturizing agent	Hydroxyethyl Urea	Nouryon	5.00
	Ethyl Lactate	Ethyl Lactate	---	0.50
	Citrolumine 8®	Glycerin, Water, Lecithin, Citrus Paradisi (Grapefruit) Fruit Extract, Citrus Aurantium Amara (Bitter Orange) Fruit Extract, Sodium Ascorbate, Tocopherol, Helianthus Annuus (Sunflower) Seed Oil	Lipoid Kosmetik	0.50
	Oat/Almond Oil Herbamilk® Eco	Glycerin, Water, Prunus Amygdalus Dulcis (Sweet Almond) Oil, Hydrogenated Lecithin, Avena Sativa (Oat) Kernel Extract, Citric Acid	Lipoid Kosmetik	2.00
	Hyaluronic Acid Na-Salt Triple 1.5% solution	Water, Sodium Hyaluronate	GfN & Selco	1.00
	Peptiboost® Cu P HerbaGlow® NRG	Copper Tripeptide-1 Propanediol, Water, Capparis Spinosa Bud Extract, Morus Nigra Leaf Extract, Rhodiola Rosea Root Extract	GfN & Selco Lipoid Kosmetik	0.01 1.00
C	Preservative	Preservative	---	qs

100.00

Procedure

1. Combine Phase A1 and begin mixing.
2. Premix Phase A2 and add to Phase A1 and mix well for 10 minutes until gum is dispersed.
3. Add Phase B one at a time and mix well until combined.
4. Add Phase C and mix well until homogeneous.
5. Adjust pH to 5.5-6.0 with citric acid as needed.

How To Use

After cleansing, gently apply an appropriate amount on the face in the direction of skin texture.

Stability Tested

3 Months	5°C, room temperature, 40°C
3 Weeks	50°C
Freeze/Thaw	3 cycles

Physical Data

Appearance	Cream to light beige, translucent, viscous flowing liquid
pH	5.5 - 6.0
Viscosity	cPs Brookfield DV-II (RT; 24 hours; RV T-A (91) @10 rpm)



Omya Specialty Materials Inc.,
5150 E. Pacific Coast Hwy. Suite 600, Long Beach, CA 90804
(877) 457-7266 | PersonalCareUS@omya.com | omyapersonalcare.us

THINKING OF TOMORROW



Omya has taken every possible care to ensure that the information herein is correct in all aspects. However, Omya cannot be held responsible for any errors or omissions which may be found herein, nor will it accept responsibility for any use which may be of the information, the same having been given in good faith, but without legal responsibility. This information does not give rise to any warranties of any kind, expressed or implied, including fitness for purpose and non-infringement of intellectual property. The technical information presented comprises typical data and should not be taken as representing a specification. Omya reserves the right to change any of the data without notice.