Omya Consumer Goods omyapersonalcare.us

Active Fresh Anticavity Fluoride Mouthwash MC22-63_8B

Menthol Cosmospheres[®] add a burst of freshness to this structured mouthwash.





Active Fresh Anticavity Fluoride Mouthwash

INC22-03_80				
	Ingredients	INCI Nomenclature	Suppliers	% w / w
Α	DI-Water	Water (Aqua)		40.00
В	Kelcogel CG-LA Xanthan Gum	Gellan Gum Xanthan Gum	CP Kelco Evident Ingredients	0.075 0.070
с	Trisodium Citrate Dihydrate Sodium Fluoride USP	Sodium Citrate Sodium Fluoride		0.700 0.050
D	DI-Water GLE Organic Glycerin Lauryl Glucoside Stevia RA 98%	Water (Aqua) <mark>Glycerin</mark> Lauryl Glucoside Stevia Rebaudiana Leaf Extract	Green Line, LLC	qs 12.000 1.000 0.020
E	Propanediol Peppermint Oil Lipocol® HCO-40 Natural Benzyl Alcohol	Propanediol Mentha Piperita (Peppermint) Oil PEG-40 Hydrogenated Castor Oil Benzyl Alcohol	 Vantage Green Line, LLC	7.000 0.100 0.500 0.300
F	Cosmospheres® WLI-M	Mannitol, Microcrystalline Cellulose, Menthol, Propylene Glycol	Omya, Inc.	1.000
G	Citric Acid (50% solution)	Citric Acid		qs
				100.00

Procedure

- 1. Add Phase A water and begin propeller mixing while heating to 80-85°C.
- 2. Preblend Phase B powders and slowly add to Phase A. Continue mixing for 5-10 minutes until smooth and uniform.
- 3. Continue mixing and slowly add Phase C ingredients in batch card order, mix until clear and uniform.
- 4. Stop mixing and allow batch to cool to room temperature. (should have gelatin-like consistency when fully set and cooled)
- 5. In a separate side kettle weigh out water of Phase D and begin mixing with propeller blade.
- 6. Add remaining Phase D ingredients in batch card list, mix until clear and uniform.
- 7. In another side vessel preblend Phase E, mix until uniform.
- 8. Once Phase E preblend is uniform slowly add to Phase D, mix until clear and uniform.
- 9. Combine both phases by adding Phase DE to Phase AB without mixing.
- **10.** Once combined begin mixing under overhead mixer with medium speed propeller agitation for 60 minutes until homogeneous and smooth. Adjust mixing speed to avoid excessive aeration or foam.
- **11.** Homogenize for an additional 5-7 minutes to ensure full uniformity of gel.
- 12. Adjust to target pH with Phase G if needed.

How To Use

Vigorously swish 10 mL of mouthwash between your teeth for 1 minute and then expectorate.



Omya Specialty Materials Inc. 5150 E. Pacific Coast Hwy. Suite 600 Long Beach, CA 90804 (877) 457-7266 | PersonalCareUS@omya.com

Innovation Comes Naturally™

Scan To Learn More

